ELSEVIER

Volume 316, Numbers 1–2, 2 March 2001

Journal of ALLOYS AND COMPOUNDS

www.elsevier.com/locate/jallcom

Contents

Letters

Multi-magnetic transitions in $Tb_2Mn_3Si_5$ L1
R. Nirmala, V. Sankaranarayanan (Chennai, India), A.V. Morozkin (Moscow, Russia) and K. Sethupathi (Chennai, India)

Single crystal investigation of the binary NdB_4 compound L4
P. Salamakha (Sacavém, Portugal and Ibaraki, Japan), A.P. Gonçalves (Sacavém, Portugal), O. Sologub (Higashi-Hiroshima, Japan) and M. Almeida (Sacavém, Portugal)

Physics

Electronic structure calculations for the ternary intermetallic compounds A_2MX and AMX_2 (A=Li; M=Rh, Pd, Ir, Pt; X=Al, Ga, In) using density-functional theory 1
L. Drews-Nicolai and G. Hohlneicher (Cologne, Germany)

Parallel magnetic and electric field dependence of the Néel temperature in Cr_2O_3—the modified Oguchi method 18
Z. Latacz (Cracow, Poland)

Nitrogen ordering and ferromagnetic properties of ϵ-Fe_3N_{1-x} ($0.10 \leq x \leq 0.39$) and ϵ-$Fe_3(N_{0.80}C_{0.20})_{1.38}$ 21
A. Leineweber, H. Jacobs (Dortmund, Germany), F. Hüning, H. Lueken (Aachen, Germany) and W. Kockelmann (Bonn, Germany)

Generalized matching rules for aperiodic tilings 39
P. Bellingeri (Saint-Martin-d'Hères, France) and P.M. Ossi (Milano, Italy)

Transformations of magnetic phase diagram as a result of insertion of hydrogen and nitrogen atoms in crystalline lattice of $RFe_{11}Ti$ compounds 46
S.A. Nikitin, I.S. Tereshina (Moscow, Russia and Wroclaw, Poland), V.N. Verbetsky and A.A. Salamova (Moscow, Russia)

Electronic structure and magnetic properties of $HoMn_2$ single crystals 51
E. Talik, M. Kulpa, A. Winiarski (Katowice, Poland), T. Mydlarz (Wroclaw, Poland) and M. Neumann (Osnabrück, Germany)

Magnetic properties and magnetic structures of RIrSi (R=Tb–Er) series of compounds 58
A. Szytuła (Kraków, Poland), M. Hofmann (Berlin-Wannsee, Germany), J. Leciejewicz (Warszawa, Poland), B. Penc (Kraków, Poland) and A. Zygmunt (Wrocław, Poland)

Crystal structure, magnetic and electrical properties of new ternary indides RPtIn (R=Pr, Sm) 64
V.I. Zaremba, Y.V. Galadzhun, B.D. Belan (Lviv, Ukraine), A. Pikul, J. Stępień-Damm and D. Kaczorowski (Wrocław, Poland)

Change in the magnetic state of antiferromagnetic $La(Fe_{0.88}Al_{0.12})_{13}$ by hydrogenation 70
K. Irisawa, A. Fujita, K. Fukamichi, Y. Yamazaki, Y. Iijima and E. Matsubara (Sendai, Japan)

Structural and magnetic properties of the rare-earth–borocarbides, $R_3B_2C_6$ (R=Y, Ce–Tm) 75
E. Bidaud, K. Hiebl (Wien, Austria) and J. Bauer (Rennes, France)

Thermoelectric power of hydrogenated palladium and some of its dilute alloys, between 80 and 300 K 82
A.W. Szafrański (Warsaw, Poland)

Chemistry

Structure refinement of samarium monothio oxide 90
J. Llanos, C. Mujica, A. Henríquez (Antofagasta, Chile), P. Gómez-Romero and E. Molins (Bellaterra, Spain)

Thermodynamics, kinetics and modeling studies of the $LaNi_{5-x}Co_x$ hydride system 93
G. Smith and A.J. Goudy (West Chester, PA, USA)

Elsevier Science B.V.

Phase equilibria in the palladium-rich part of the gallium–palladium system. The crystal structures of Ga_3Pd_7 and $Ga_{1-x}Pd_{2+x}$ 99
C. Wannek and B. Harbrecht (Marburg, Germany)

Studies on the thermal dehydration behavior of $Ln[Fe(CN)_6]\cdot nH_2O$ (Ln=La–Yb; n=4, 5) by means of controlled-rate thermal analysis and Raman spectrometry 107
X. Wang, Y. Yukawa and Y. Masuda (Niigata, Japan)

Determination of hydrogen diffusion coefficient in metal hydride electrode by cyclic voltammetry 113
X. Yuan and N. Xu (Shanghai, China)

Activity and capacity of hydrogen storage alloy Mg_2NiH_4 produced by hydriding combustion synthesis 118
L. Li (Nanjing, PR China), T. Akiyama (Osaka, Japan) and J.-i. Yagi (Sendai, Japan)

Standard enthalpies of formation of lanthanum gallides by high temperature reaction calorimetry 124
R. Babu, K. Nagarajan (Kalpakkam, India) and V. Venugopal (Mumbai, India)

The effects of surface treatment on metal hydride electrodes using a weak acid solution containing Ni(II) 131
J. Nan (Xiamen and Tianjin, China), Y. Yang and Z. Lin (Xiamen, China)

Flux synthesis, structure and physical properties of new pseudo-binary $REAl_{3-x}Ge_x$ compounds 137
M.A. Zhuravleva, K.K. Rangan (East Lansing, MI, USA), M. Lane, P. Brazis, C.R. Kannewurf (Evanston, IL, USA) and M.G. Kanatzidis (East Lansing, MI, USA)

Preparation, transport properties, and electronic structure of quaternary sulfides based on tetrahedral $[MS_4]^{4-}$ units: $SrCu_2MS_4$ (M=Ge, Sn) 146
J. Llanos, C. Mujica and A. Buljan (Antofagasta, Chile)

Estimation of effective ionic radii in highly defective perovskite-type oxides from experimental data 153
H. Ullmann and N. Trofimenko (Dresden, Germany)

Standard enthalpies of formation of cerium gallides by high temperature reaction calorimetry 159
R. Babu, K. Nagarajan (Kalpakkam, India) and V. Venugopal (Mumbai, India)

Metallurgy

Phase equilibria in the Hf–Ni–Sn ternary system and crystal structure of the Hf_2Ni_2Sn compound 169
Yu.V. Stadnyk and L.P. Romaka (L'viv, Ukraine)

The 573 K and 773 K isothermal sections of the phase diagram of the Pr–Ni–Ti ternary system 172
X. Zhong, Z. Yang and J. Liu (Guangxi, People's Republic of China)

Enthalpy measurements of the solid high-temperature β-phase of titanium and zirconium by levitation drop calorimetry 175
M. Rösner-Kuhn, K. Drewes, H. Franz and M.G. Frohberg (Berlin, Germany)

Temperature dependent X-ray and neutron diffraction study of the liquid–solid and solid–solid equilibria in the $Al_{29.2}Ga_{27}Zn_{43.8}$ ternary alloy 179
K. Jardet, Ch. Muller (La Garde, France), R. Bellissent (Gif-sur-Yvette, France), P. Satre and A. Sebaoun (La Garde, France)

A neutron-spectroscopy study of the local vibrations, the interstitial sites and the solubility limit of hydrogen in niobium–molybdenum alloys 189
V.V. Sumin (Moscow, Russia), H. Wipf (Darmstadt, Germany), B. Coluzzi, A. Biscarini, R. Campanella, G. Mazzolai and F.M. Mazzolai (Perugia, Italy)

The Ag_2Se–In_2Se_3–$SnSe_2$ system 193
I.D. Olekseyuk and O.V. Krykhovets (Lutsk, Ukraine)

$Fe_{16}Nb_6Si_7$ and $Fe_{16}Ta_6Si_7$: New $D8_a$ phases synthesized by the crystallization of mechanically alloyed amorphous powders . 203
G. Rixecker (Stuttgart, Germany) and R. Haberkorn (Saarbrücken, Germany)

Crystal structure of RAgPb (R=La, Ce, Pr, Nd, Sm, Gd, Tb, Dy, Ho) compounds 209
L.D. Gulay and M. Wolcyrz (Wrocław, Poland)

Eutectoid decomposition in rapidly solidified α-Fe_2Si_5-based thermoelectric alloys 212
T. Nagase, I. Yamauchi and I. Ohnaka (Osaka, Japan)

Single-crystal investigation of the neodymium rhodium germanides $NdRh_2Ge_2$, $Nd_2Rh_3Ge_5$ and $NdRh_{0.79}Ge_{0.54}$ 220
P. Salamakha (Ibaraki, Japan and Parma, Italy), O. Sologub (Higashi-Hiroshima, Japan), L. Righi and G. Bocelli (Parma, Italy)

Concentration fluctuations and thermodynamic properties of ternary liquid alloys 226
O. Akinlade (Abeokuta, Nigeria) and F. Sommer (Stuttgart, Germany)

New ternary $Ce_6Ni_2Si_3$-type $Sm_6\{Co, Ni\}_2Si_3$ compounds and their interaction with hydrogen 236
A.V. Morozkin, S.N. Klyamkin and I.A. Sviridov (Moscow, Russia)

Materials Science

The Pb–In–Se system: phase diagram of the Se-rich part 239
M.C. Record (Montpellier, France), S. Ilyenko (Kiev, Ukraine), B. Daouchi (Kenitra, Maroc) and J.C. Tedenac (Montpellier, France)

Magnetocaloric effects of Laves phase $Er(Co_{1-x}Ni_x)_2$ compounds 245
H. Wada, Y. Tanabe, M. Shiga (Kyoto, Japan), H. Sugawara and H. Sato (Tokyo, Japan)

Electrochemical preparation of crystallized $Ba_{1-x}Sr_xMoO_4$ solid-solution films at room-temperature 250
C.-T. Xia, V.M. Fuenzalida and R.A. Zarate (Santiago, Chile)

Luminescence properties of Ce^{3+} and Tb^{3+} doped rare earth borate glasses 256
L. Huang, X. Wang, H. Lin and X. Liu (Changchun, P.R. China)

Hard magnetic properties and magnetocaloric effect in amorphous NdFeAl ribbons 260
L. Si, J. Ding, L. Wang, Y. Li, H. Tan and B. Yao (Singapore, Singapore)

Structural and thermochemical studies on Cr_2TeO_6 and Fe_2TeO_6 264
K. Krishnan, K.D. Singh Mudher, G.A. Rama Rao and V. Venugopal (Mumbai, India)

Microstructure and magnetic properties of two-phase nanocomposite $Nd_9Fe_{85.5}Nb_{1.0}B_{4.5-y}C_y$ (y=0.5–4.5) magnets 269
C.P. Yang, Z.L. Jiang, X.Y. Chen, H.W. Zhou, C.L. Ma, J. Zhu, Y.Z. Wang, B.P. Hu, H.W. Zhang and B.G. Shen (Beijing, China)

Microstructure and tensile properties of bi-materials with macro-interface between unreinforced magnesium and composite . . . 275
S.-Y. Chang, S. Jun Cho (Kyunggi-do, South Korea), S.-K. Hong (Kwanju, South Korea) and D. Hyuk Shin (Kyunggi-do, South Korea)

Stresses induced by hydrogen absorption and desorption in Pd nanofilms 280
S.-Y. Liu (Hsinchu, Taiwan), Y.-H. Kao, Y.O. Su (Taipei, Taiwan) and T.-P. Perng (Hsinchu, Taiwan)

Crystal structure of two hydrides formed from a Ti–V–Mn BCC solid solution alloy studied by time-of-flight neutron powder diffraction — a NaCl structure and a CaF_2 structure 284
Y. Nakamura, K.-i. Oikawa, T. Kamiyama and E. Akiba (Ibaraki, Japan)

Magnetic properties of melt-spun $(Nd,Dy)_2Fe_{14}(B,C)$ 290
J. Yang, A. Handstein, A. Kirchner, O. Gutfleisch and K.-H. Müller (Dresden, Germany)

Magnetic properties and magnetic domain structure of $Nd_6Dy_2Fe_{82}Co_4B_6$ nanocomposite magnets 296
J.-h. Yin, B.-g. Shen (Beijing, PR China), D.-H. Wang, X.-B. Yin, M. Wang and Y.-w. Du (Nanjing, PR China)

Homogeneity range, crystal structure and magnetic properties of the $ThMn_{12}$-type compounds $Gd_{1-n}Nd_n(Fe,Mo)_{12}$ (n=0–1.0) 299
M. Zinkevich, N. Mattern, A. Handstein, B. Gebel and I. Bächer (Dresden, Germany)

Synthesis, structure and ferroelectric properties of heteroblock slab phases in $La_2Ti_2O_7$–$LaTaO_4$ system 309
Yu.A. Titov, A.M. Sych, V.Ya. Markiv, N.M. Belyavina, A.A. Kapshuk and V.P. Yaschuk (Kyiv, Ukraine)

Microstructure evolution of an equimolar powder mixture of ZrO_2–TiO_2 during high-energy ball-milling and post-annealing . . 316
M. Stubičar, V. Bermanec, N. Stubičar, D. Kudrnovski (Zagreb, Croatia) and D. Krumes (Slavonski Brod, Croatia)

Author Index of Volume 316 321

Subject Index of Volume 316 323

Keyword list